

===

```
[xantippe@localhost PyQt-gpl-5.4]$ ls
AddToPath.nsh
cfgtest_Enginio
cfgtest_Enginio.cpp
cfgtest_Enginio.mk
cfgtest_Enginio.o
cfgtest_Enginio.pro
cfgtest_QAxContainer.cpp
cfgtest_QAxContainer.pro
cfgtest_QOpenGLFunctions_2_0
cfgtest_QOpenGLFunctions_2_0.cpp
cfgtest_QOpenGLFunctions_2_0.mk
cfgtest_QOpenGLFunctions_2_0.o
cfgtest_QOpenGLFunctions_2_0.pro
cfgtest_QtBluetooth
cfgtest_QtBluetooth.cpp
cfgtest_QtBluetooth.mk
cfgtest_QtBluetooth.o
cfgtest_QtBluetooth.pro
cfgtest_QtDBus
cfgtest_QtDBus.cpp
cfgtest_QtDBus.mk
cfgtest_QtDBus.o
cfgtest_QtDBus.pro
cfgtest_QtDesigner
cfgtest_QtDesigner.cpp
cfgtest_QtDesigner.mk
cfgtest_QtDesigner.o
cfgtest_QtDesigner.pro
cfgtest_QtGui
cfgtest_QtGui.cpp
cfgtest_QtGui.mk
cfgtest_QtGui.o
cfgtest_QtGui.pro
cfgtest_QtHelp
cfgtest_QtHelp.cpp
cfgtest_QtHelp.mk
cfgtest_QtHelp.o
cfgtest_QtHelp.pro
cfgtest_QtMacExtras.cpp
cfgtest_QtMacExtras.pro
cfgtest_QtMultimedia
cfgtest_QtMultimedia.cpp
cfgtest_QtMultimedia.mk
cfgtest_QtMultimedia.o
cfgtest_QtMultimedia.pro
cfgtest_QtMultimediaWidgets
cfgtest_QtMultimediaWidgets.cpp
cfgtest_QtMultimediaWidgets.mk
cfgtest_QtMultimediaWidgets.o
cfgtest_QtMultimediaWidgets.pro
cfgtest_QtNetwork
cfgtest_QtNetwork.cpp
cfgtest_QtNetwork.mk
cfgtest_QtNetwork.o
cfgtest_QtNetwork.pro
cfgtest_QtOpenGL
cfgtest_QtOpenGL.cpp
cfgtest_QtOpenGL.mk
cfgtest_QtOpenGL.o
cfgtest_QtOpenGL.pro
cfgtest_QtPositioning
cfgtest_QtPositioning.cpp
cfgtest_QtPositioning.mk
cfgtest_QtPositioning.o
cfgtest_QtTest.pro
cfgtest_QtWebChannel
cfgtest_QtWebChannel.cpp
cfgtest_QtWebChannel.mk
cfgtest_QtWebChannel.o
cfgtest_QtWebChannel.pro
cfgtest_QtWebEngineWidgets
cfgtest_QtWebEngineWidgets.cpp
cfgtest_QtWebEngineWidgets.mk
cfgtest_QtWebEngineWidgets.o
cfgtest_QtWebEngineWidgets.pro
cfgtest_QtWebKit
cfgtest_QtWebKit.cpp
cfgtest_QtWebKit.mk
cfgtest_QtWebKit.o
cfgtest_QtWebKit.pro
cfgtest_QtWebKitWidgets
cfgtest_QtWebKitWidgets.cpp
cfgtest_QtWebKitWidgets.mk
cfgtest_QtWebKitWidgets.o
cfgtest_QtWebKitWidgets.pro
cfgtest_QtWebSockets
cfgtest_QtWebSockets.cpp
cfgtest_QtWebSockets.mk
cfgtest_QtWebSockets.o
cfgtest_QtWebSockets.pro
cfgtest_QtWidgets
cfgtest_QtWidgets.cpp
cfgtest_QtWidgets.mk
cfgtest_QtWidgets.o
cfgtest_QtWidgets.pro
cfgtest_QtWinExtras.cpp
cfgtest_QtWinExtras.pro
cfgtest_QtX11Extras
cfgtest_QtX11Extras.cpp
cfgtest_QtX11Extras.mk
cfgtest_QtX11Extras.o
cfgtest_QtX11Extras.pro
cfgtest_QtXml
cfgtest_QtXml.cpp
cfgtest_QtXml.mk
cfgtest_QtXml.o
cfgtest_QtXmlPatterns
cfgtest_QtXmlPatterns.cpp
cfgtest_QtXmlPatterns.mk
cfgtest_QtXmlPatterns.o
cfgtest_QtXmlPatterns.pro
cfgtest_QtXml.pro
ChangeLog
configure.py
dbus
designer
doc
Enginio
examples
__init__.py
LICENSE
Makefile
NEWS
pylupdate
PyQt5.api
PyQt5.pro
PyQt5-Qt5.nsi
pyrcc
```

```

cfgtest_QtPositioning.pro      pyuic
cfgtest_QtPrintSupport        pyuic5
cfgtest_QtPrintSupport.cpp    qmlscene
cfgtest_QtPrintSupport.mk     _QOpenGLFunctions_2_0
cfgtest_QtPrintSupport.o      qpy
cfgtest_QtPrintSupport.pro    Qt
cfgtest_QtQml                 QtBluetooth
cfgtest_QtQml.cpp             QtCore
cfgtest_QtQml.mk              QtDBus
cfgtest_QtQml.o               QtDesigner
cfgtest_QtQml.pro             qtdetail
cfgtest_QtQuick                qtdetail.cpp
cfgtest_QtQuick.cpp            qtdetail.mk
cfgtest_QtQuick.mk             qtdetail.o
cfgtest_QtQuick.o              qtdetail.out
cfgtest_QtQuick.pro            qtdetail.pro
cfgtest_QtQuickWidgets         QtGui
cfgtest_QtQuickWidgets.cpp     QtHelp
cfgtest_QtQuickWidgets.mk      QtMultimedia
cfgtest_QtQuickWidgets.o       QtMultimediaWidgets
cfgtest_QtQuickWidgets.pro     QtNetwork
cfgtest_QtSensors              QtOpenGL
cfgtest_QtSensors.cpp          QtPositioning
cfgtest_QtSensors.mk           QtPrintSupport
cfgtest_QtSensors.o            QtQml
cfgtest_QtSensors.pro          QtQuick
cfgtest_QtSerialPort           QtQuickWidgets
cfgtest_QtSerialPort.cpp       QtSensors
cfgtest_QtSerialPort.mk        QtSerialPort
cfgtest_QtSerialPort.o         QtSql
cfgtest_QtSerialPort.pro       QtSvg
cfgtest_QtSql                  QtTest
cfgtest_QtSql.cpp              QtWebChannel
cfgtest_QtSql.mk               QtWebEngineWidgets
cfgtest_QtSql.o                QtWebKit
cfgtest_QtSql.pro              QtWebKitWidgets
cfgtest_QtSvg                  QtWebSockets
cfgtest_QtSvg.cpp              QtWidgets
cfgtest_QtSvg.mk               QtX11Extras
cfgtest_QtSvg.o                QtXml
cfgtest_QtSvg.pro              QtXmlPatterns
cfgtest_QtTest                 README
cfgtest_QtTest.cpp             sip
cfgtest_QtTest.mk              StrSlash.nsh
cfgtest_QtTest.o

```

```
[xantippe@localhost PyQt-gpl-5.4]$ su
```

```
Password:
```

```
[root@localhost PyQt-gpl-5.4]# make install
```

```
cd QtCore/ && ( test -e Makefile || /home/xantippe/Qt/5.4/gcc_64/bin/qmake /home/xantippe/pyqt5install/PyQt-gpl-5.4/QtCore/QtCore.pro -o Makefile ) && make -f Makefile install
```

```
make[1]: Entering directory '/home/xantippe/pyqt5install/PyQt-gpl-5.4/QtCore'
```

```
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/QtCore/QtCore.so /usr/lib64/python3.4/site-packages/PyQt5/
```

```
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qabstractproxymodel.sip /usr/share/sip/PyQt5/QtCore/
```

```
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qmetatype.sip /usr/share/sip/PyQt5/QtCore/
```

```
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qeventtransition.sip /usr/share/sip/PyQt5/QtCore/
```

```
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qpycore_qvector.sip /usr/share/sip/PyQt5/QtCore/
```

```
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qsysinfo.sip /usr/share/sip/PyQt5/QtCore/
```

```
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qbitarray.sip /usr/share/sip/PyQt5/QtCore/
```

```
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qjsonvalue.sip /usr/share/sip/PyQt5/QtCore/
```

```

install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qpycore_qset.sip /usr/share/sip/PyQt5/QtCore/
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qline.sip /usr/share/sip/PyQt5/QtCore/
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qjsondocument.sip /usr/share/sip/PyQt5/QtCore/
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qobject.sip /usr/share/sip/PyQt5/QtCore/
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/sip/QtCore/qurl.sip /usr/share/sip/PyQt5/QtCore/

.
.
.
.
.
.
.
.
.
.

(here no errors, not printed to save space)

.
.
.
.
.
.
.
.
.
.

make[1]: Entering directory '/home/xantippe/pyqt5install/PyQt-gpl-5.4/qmlscene'
install -m 755 -p "libpyqt5qmlplugin.so" "/home/xantippe/Qt/5.4/gcc_64/plugins/PyQt5/libpyqt5qmlplugin.so"
strip --strip-unneeded "/home/xantippe/Qt/5.4/gcc_64/plugins/PyQt5/libpyqt5qmlplugin.so"
make[1]: Leaving directory '/home/xantippe/pyqt5install/PyQt-gpl-5.4/qmlscene'
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/__init__.py /usr/lib64/python3.4/site-packages/PyQt5/
cp -f -R /home/xantippe/pyqt5install/PyQt-gpl-5.4/pyuic/uic /usr/lib64/python3.4/site-packages/PyQt5/
install -m 755 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/pyuic5 /usr/bin/
strip /usr/bin/pyuic5
strip:/usr/bin/pyuic5: File format not recognized
Makefile:1988: recipe for target 'install_pyuic5' failed
make: [install_pyuic5] Error 1 (ignored)
install -m 644 -p /home/xantippe/pyqt5install/PyQt-gpl-5.4/PyQt5.api /home/xantippe/Qt/5.4/gcc_64/qsci/api/python/
[root@localhost PyQt-gpl-5.4]#

```

=====

Perhaps you can help.

What have I to do to solve the "'install_pyuic5' failed" error?

Thanks